### **Code & Regulatory Framework**

The following section reviews code and regulatory constraints on the study sites. The City of Seattle, with direct jurisdiction, executes the bulk of the land use regulations through the Seattle Municipal Code (SMC). Our review of the SMC considers existing zoning as well as other zoning that might be relevant to discussions of future uses on the sites. Applicable additional review layers are also examined. Finally, Department of Natural Resources (DNR) governance of waterways and submerged lands is reviewed.

The following are considered...

### **Zoning**

- Industrial Commercial (IC): Underlying zone Upland, Waterfront and Stone Way Pier sites
- Urban Maritime Zoning Overlay (UM): Overlays Waterfront and Stone Way Pier sites
- Neighborhood Commercial (NC): Adjacent to the east of the Upland site
- Pedestrian 2 Overlay (P2): Not currently in place

### **Additional Reviews**

- · View Corridors with special protection
- Design Review: Neighborhood design review process

### **Parking**

Parking requirements are also regulated by the Seattle Municipal Code. Parking requirements are generally determined by the uses in a building as opposed to the zoning that is on the site, and so are considered separately from zoning.

#### Industrial Areas Protection Policies

The City of Seattle's Comprehensive Plan includes specific policies for the protection and enhance ment of industrial activities. The relationship of these policies to the sites is considered.

### **DNR Submerged Lands and Waterways Regulation**


The Department of Natural Resources is the proprietor of public waterways and submerged bedlands in the vicinity of the study sites, and executes regulation over these areas.

1

# Zoning: Upland and Waterfront

- Upland Parcel: Industrial Commercial with 45' height limit. (IC - 45)
- Waterfront Parcel: Urban Maritime (UM) shoreline overlay regulations apply, in addition to the IC - 45 underlying zone.
- Nearby Zoning: Commercial 1 40' height limit, east of Upland site across Densmore Ave.; Commercial 2 - 40' height limit, north of sites across N. 34th St., Industrial Buffer (IB) zone south and east of the sites, NC2 - 65 east of upland site.

Note: Neighborhood Commercial 2 zoning, and a Pedestrian 2 overlay are considered as potential zoning changes for the N. 34th St. corridor in the Draft South Wallingford Neighborhood Plan Amendment.



Zoning: Upland and Waterfront Parcel

### **Zoning: Stone Way Pier**

- Stone Way Pier Parcel: Urban Maritime (UM) shoreline environment overlay regulations apply, in addition to the IC - 45 underlying zone.
- Nearby Zoning: Commercial 2 with a 30' height limit beginning immediately west of the site.

### LEGEND (both figures)



Figures not to same scale.



Zoning: Stone Way Pier

### **Uses Allowed Outright In Relevant Zones**

Industrial / Urban Neighborhood Pedestrian				
Commercial	Maritime Overlay	Commercial 2	Overlay 2 (P2)	
(IC - 45)	(UM)	(NC2)	(Not currently in place.)	
, ,				
Light Manufacturing  Most Retail Sales & Services	Marine Retail	Convenience Stores General Retail Sales & Service	PROHIBITED USES	
Principal Use Parking	Tugboat Services Water-Related Showroom	Major Durables Sales & Service	Drive In Businesses	
Non-household Sales & Services	Water-Dpndt. Passenger Terminal	Pet Grooming & Animal Services	Live-Work Units at the Street	
Office	Water - Dpndt. Cargo Terminal	Gas Stations		
Entertainment Uses (except adult)	Water-Dpndt. Food Processing	Motorized Vehicle Sales & Rental	REQUIRED AT STREET LEVEL	
Wholesale Showrooms	Streets, Railroads, Bridges	Vehicle Repair	(Any combination of)	
Warehouses and Mini-Warehouses	Utility Lines	Car Wash		
Outdoor Storage	Public Services Needing Shoreline	Auto Parts Sale	Retail Sales & Services	
Transportation Facilities	Water-Related Research & Edu.	Large Boat Sales	Eating & Drinking Establishment	
Passenger Terminal Cargo Terminal	Shoreline Recreation Water-Related Institutes	Vessel Repair  Marine Service Station	Customer Service Office Entertainment Uses	
Railyard Switchyard	Water-Related Vocational Schools	Dry Boat Storage	Pet Grooming Services	
Food Processing	Light & General Manufacturing	Restaurants	Public Library	
Research & Development Lab	Water-Related Public Facilities	Bed & Breakfast	·	
Salvage & Recycling	Aquaculture	Mortuary Services		
Utility Service Use		Business Support Services		
Minor Communication Utility		Business Incubator		
Institute for Advanced Study		Sales, Rental Office Equipment		
Child Care Center Vocational or Fine Art School		Customer Service Office Administrative Office		
Park & Pool Lot		Performing Arts Theater		
Caretaker's Quarters		Spectator Sports Facility		
Parks		Lecture & Meeting Halls		
Playgrounds		Motion Picture Theater		
Aquaculture		Adult Theater		
		Indoor Participant Sports Arena		
		Food Processing		
		Custom and Craft Work		
		Research & Development Labs		
		Recycling Collection Station Utility Services		
		Minor Communication Utilities		
		Light Manufacturing		
		Institute for Advanced Study		
		Private Club		
		Child Care Center		
		Museum		
		Schools & Colleges		
		Community Center or Club  Vocational or Fine Arts School		
		Hospital		
		Religious Facility		
		University		
		Major Institution		
		Single Family Residential*		
		Multi Family Residential *		
		Congregate Residences*		
		Artist Studio / Dwelling Adult Family Homes *		
		Nursing Homes		
		Assisted Living*		
		Live-Work Units*		
		* M/ham than 1 ' ' '		
		* When there is a mix with non - residential uses.		
		. 13/40/144/ 4000/		

Summary of Development Standards for Industrial Commercial (IC - 45)				
Height Limit:	45'			
Floor Area Ratio:	2.5.			
(SMC 23.50.028)	Exempt from FAR calculation: Below grade areas, accessory parking, rooftop mechanical and equipment areas.			
Setbacks:	No setbacks required. Setbacks only required where adjacent			
(SMC 23.50.032)	to or across from a residentially zoned lot.			
Maximum Size Limit	None for office uses. 75,000 for retail sales and service.			
Non– Industrial Use:				
(23.50.027)				
Screening &	Required: Street trees, Blank façade treatment,			
Landscaping: (SMC 23.50.038)	Hedges, Landscaped Areas, For 50+ cars, 3' high screening and street trees are required along street lot lines, as well as interior parking lot landscaping.			

Note: Summary intended for overview only. See code references for full code requirements.



Water related industrial uses persist on the North Lake Union shore.

Summary of Develop	ment Standards for Urban Maritime Overlay (UM)
Shoreline Master Program	All shoreline properties are subject to shoreline overlay environments in addition to the underlying zoning regulations.
Substantial	Any development of \$2,500 or more in the Shoreline District
Development	must receive a "substantial development" permit – approved by the
Permit:	Director of Planning and Development.
Structure Height: (SMC 23.60.752)	35' except for: equipment, cranes for water-dependent uses, manufacturing structures for water-dependent uses, antennas and flagpoles, various rooftop features.
View Corridors in UM:	15% lot width for water-dependent uses.
	35% lot width for non water-dependent uses.
	Moorage, boats undergoing repair, parking, storage may be in view
	corridor.
View corridor reductions	When full corridor is in one location.
(5% each down to a	When 1/2 required width is next to a street, waterway or park.
minimum of 15')	When 1/2 required width next to a view corridor on adjacent property.
	A viewing area of 150 sf which provides a clear view of land and water may be substituted for a view corridor.
Lot Coverage:	Max. 50% lot coverage for submerged portions. (piers and docks)
(Waterfront Lots)	Max. 75% dry land portions. (structures)
(SMC 23.60.754)	Drydocks may cover an additional 25% of submerged land for 75% max.
Parking Requirements:	Parking must be located at least 50' from water, unless lot is too small.
	Parking requirement may be waived by the director if:
	Alternatives forms of transport can meet parking demand. Parking is available within 800'.
Public Access:	Public access is required for all publicly owned waterfront (leased or
(SMC 23.60.758)	owned). Private Marinas, are required to provide public access.
,	Non-water dependent uses, are required to provide public access.
	Water-dependent uses on private lots do not have to provide access.

Note: Summary intended for overview only. See code references for full code requirements.

Mixed Use Development Standards for Neighborhood Commercial 2 (NC2)		
Non-Residential Use at Street Front:	At least 80% of a structure's facade at street level must be a nonresidential use. The nonresidential use must average a 30' depth. Up to 22' can be subtracted from the nonresidential use requirement where a driveway is necessary. At least 51% of the required nonresidential use shall be at or above sidewalk grade, and no portion may be more than 3' above or below sidewalk grade.	
Building & Floor to	Minimum street floor to floor height is 13'. Structure height limits vary	
Floor Heights:	according to the official land use map.	
Lot Coverage:	Above 13' from finished grade, a maximum lot coverage of 64%	
Residential Density: (SMC 23.47.009)	In NC zones with thirty 30' foot height limits, the density limit is one unit per 800 sf lot area. In NC zones with 40' and 65' height limits, the density limit is one unit per 600 sf of lot area.	
Setbacks:	A 15' triangular setback is required where adjacent to residentially zoned	
(SMC 23.47.014)	lots. A setback of 15' is required at 13' above street level - where next to a residentially zoned lot. (Setbacks would not be required for study sites, where not adjacent to residentially zoned lots.)	
Screening &	Landscaping equalling 5% lot area is required for new construction, and	
Landscaping	should be provided in the most visible areas. Street trees are required.	

The P-2 zoning designation is not currently in place near the study sites. However, a P-2 overlay was discussed as a possible zoning change in the N. 34th St. corridor, in the Draft South Wallingford Neighborhood Plan Amendment.

Summary Development Standards Pedestrian 2 Overlay (P-2)		
Parking Reductions: 23.47.044	Parking reductions may be allowed according to SMC 23.54.020. Additional parking reductions are allowed for eating and drinking establishments, entertainment uses, customer	
	service offices and others.	
Parking Behind Structure:	Parking must be located at the rear or under a structure, or be	
	located within 800 feet of the lot. Parking may not be located along the pedestrian street front.	
Parking Beside Structure:	Parking may be located to the side of a structure if parking to the rear, under or within 800 feet is not available.	

Note: Summary intended for overview only. See code references for full code requirements.

### **Protected View Corridors**

The State Environmental Policy Act (SEPA) section of the SMC includes special provisions for view protection along designated scenic corridors and viewpoints. SMC 25.05.675 states...

"It is the City's policy to protect public views of significant natural and human-made features: Mount Rainier, the Olympic and Cascade Mountains, the downtown skyline, and major bodies of water including Puget Sound, Lake Washington, Lake Union and the Ship Canal, from public places consisting of the specified viewpoints, parks, scenic routes, and view corridors, identified in Attachment 1."

The following corridors adjacent to the site are identified in Attachment 1 of SMC 25.05.675.

- N. 34th St.
- The Burke Gillman Trail
- N. Northlake Way
- Wallingford Ave. (N. 36th to Northlake Way)

According to the Municipal Code, the decision maker (City of Seattle) may condition or deny a proposal to eliminate or reduce its adverse impacts on designated public views. View corridors over shorelines are also designated in the Land Use Code, in SMC 23.60.162, 23.60.954.

### **Design Review**

The City of Seattle also has a codified design review process (SMC 23.41). South Wallingford is within the City's northeast design review section. Design review is intended to...

- Encourage better design, that enhances community character
- Provide flexibility in development standards
- Improve developer / community communication

Design review is required for most multifamily and commercial structures. A Design Review Board comprised of citizens executes design review and advises the Director on specific conditions of approval. A public design review meeting is required. Departures from various Land Use Code requirements to improve design are allowable through design review.

Note: The Draft South Wallingford Neighborhood Plan Amendments discusses a mandatory design review process for South Wallingford view corridors including north/south streets adjacent to study sites.



Views over Lake Union on Woodlawn Ave., adjacent to the upland site.


North Lake Union Master Plan

#### **Industrial Areas Protection Policies**

The City of Seattle's Comprehensive Plan guides overall longterm land use strategy, and is consistent with the State's Growth Management Act. The Comprehensive plan designates two distinct Manufacturing / Industrial Centers in the city. These are:

- Ballard Interbay Northend Manufacturing / Industrial Center (BINMIC)
- Duwamish Manufacturing / Industrial Center (DMIC)

The study sites are located outside of manufacturing industrial centers as shown at right. Multiple Goals and Policies seek to aggressively maintain, and encourage industrial and manufacturing activity in BINMIC and DMIC. (City of Seattle Comprehensive Plan LG19 - LG27). Other areas of the city may hold manufacturing and industrial operations, but areas outside of BINMIC and DMIC are not likely to receive as rigid protection of industrial uses in the long term. The BINMIC boundary ends to the west of the study sites near NW 3rd Avenue.



Boundaries of the Ballard Interbay Northend Manufacturing / Industrial Center in relation to the study sites.

## Parking Requirements for Potential Site Uses

Aquaculture (retail area) 1 space / 350 sf.

Commercial Moorage 1 space / 140 lf. moorage

Community Centers/

ers/ r s aud

1 space / 80 sf floor area for auditoria and meeting rooms; 1 space / 350 sf if no assembly room

or auditoria

Dry Storage of Boats 1 space / 2000 sf.

General Retail Sales

and Service

1 space / 350 sf.

Light Manufacturing 1 space / 1500 sf.

Marine Service Station 1 space / 2000 sf.

Multifamily Uses 2 - 10 units - 1.1 spaces / unit

11- 30 units - 1.15 spaces / unit 31 - 60 units - 1.2 spaces / unit 61 + units - 1.25 spaces / unit

Multi purpose

convenience stores

1 space / 350 sf

Office Administrative

1 space / 1000 sf.

Office Customer Service

1 space / 350 sf.

Outdoor Storage

1 space / 2000 sf.

Passenger Terminals

(waiting areas)

1 space / 100 sf.

Recreational Marinas

1 space / 75 lf moorage

Research & Dvlmnt, Lab

1 space / 1000 sf.

**Boat Part Sales** 

1 space / 350 sf.

Swimming Pool

(water area)

1 space / 150 sf.

Source: Chart A SMC 23.54.015

### **Parking Requirements**

Parking requirements are determined by the uses on a property. The chart lists base parking requirements for the types of uses being considered for the study sites.

The UM overlay provides some special provisions and opportunities for parking requirement reductions. These include:

- Parking must be located at least 50' from the water's edge, unless a lot is too narrow to configure parking in this way.
- Parking requirements in the UM may be waived by the director:
  - If alternative forms of transportation can meet the demand
  - If parking is provided within 800' of the site.

# Department of Natural Resources (DNR) Waterway and Bedlands Regulation

The Washington State Department of Natural Resources (DNR) is the proprietor of state-owned aquatic lands, including waterways, and submerged bedlands in the vicinity of the study sites.

### **Waterways**

Both the waterfront and Stone Way pier sites are directly adjacent to a DNR managed waterway. (Waterways 20, and 22 respectively). Per WAC 332-30-106 a waterway is defined as...

"...an area platted across aquatic lands or created by a waterway district providing for access between the uplands and open water, or between navigable bodies of water."

Specific priorities for the use of waterways are in place. according to WAC 332-30-117, including...

- Providing public navigation routes between water and land for convenience of navigation and commerce is the top priority for waterway use.
- Permits may be issued for terms up to 5 years for uses including: public water access facilities, water dependent commerce, other water-dependent uses.
- Removable anchors and floats may be located in waterways when use permits have been issued.

#### **Bedlands**

The beds of navigable waters, also known as bedlands, are part of state-owned aquatic lands. The submerged lands extending into Lake Union from the Waterfront and Stone Way Pier parcels are considered bedlands.

- Bedlands may be leased, but only to the owner of abutting private tidelands or shorelands or to the lessee of abutting public tidelands or shorelands. (RCW 79.90.050)
- The management of state-owned aquatic lands shall preserve and enhance water-dependent uses. Water-dependent uses are preferred for leasing of state-owned aquatic lands. (RCW 79.90.460)
- Water dependent uses of state-owned aquatic lands must pay rent to the state based on the water-dependent rent formula. (See RCW 79.90.480)